



FORMED BENDS INDEX

Pressure Formed Bends – PN12 – SCJ	7.1
Pressure Formed Bends – PN12 – RRJ	7.2
Electrical Ducts Formed Bends– SCJ Orange	7.3

PRESSURE FORMED BENDS – PN12 – SCJ

D = PN12 rated (174 psi)




Code	Size	A	B	C	D
803.15D	11°		21	80	
803.20D	11°		26	100	
803.25D	11°		33	150	
803.32D	11°		42	115	
803.40D	11°		48	150	
803.50D	11°		60	210	
803.65D	11°		75	260	
803.80D	11°		89	260	
803.100D	11°		114	340	
803.150D	11°		160	500	
803.175D	11°		200	600	
803.200D	11°		225	600	
803.225C	11°		250	700	

Code	Size	A	B	C	D
803.15D	22°		21	80	
803.20D	22°		26	100	
803.25D	22°		33	150	
803.32D	22°		42	115	
803.40D	22°		48	150	
803.50D	22°		60	210	
803.65D	22°		75	260	
803.80D	22°		89	260	
803.100D	22°		114	340	
803.150D	22°		160	500	
803.175D	22°		200	600	
803.200D	22°		225	600	
803.225C	22°		250	700	

Code	Size	A	B	C	D
803.15D	45°		21	80	
803.20D	45°		26	100	
803.25D	45°		33	150	
803.32D	45°		42	115	
803.40D	45°		48	150	
803.50D	45°		60	210	
803.65D	45°		75	260	
803.80D	45°		89	260	
803.100D	45°		114	340	
803.150D	45°		160	500	
803.175D	45°		200	600	
803.200D	45°		225	600	
803.225C	45°		250	700	

Code	Size	A	B	C	D
803.15D	90°		21	80	
803.20D	90°		26	100	
803.25D	90°		33	150	
803.32D	90°		42	115	
803.40D	90°		48	150	
803.50D	90°		60	210	
803.65D	90°		75	260	
803.80D	90°		89	260	
803.100D	90°		114	340	
803.150D	90°		160	500	
803.175D	90°		200	600	
803.200D	90°		225	600	
803.225C	90°		250	700	

AS/NZS 1477:1999



PRESSURE FORMED BENDS – PN12 – RRJ

PN12 rated (174psi)


Code	Size	A	B	C	D
Z803.50D	11°		60.4	210	
Z803.65D	11°		75.2	260	
Z803.80D	11°		89.0	260	
Z803.100D	11°		114	340	
Z803.150D	11°		160	500	
Z803.175D	11°		200	600	
Z803.200D	11°		225	600	
Z803.225C	11°		250	700	

Code	Size	A	B	C	D
Z803.50D	22°		60.4	210	
Z803.65D	22°		75.2	260	
Z803.80D	22°		89.0	260	
Z803.100D	22°		114	340	
Z803.150D	22°		160	500	
Z803.175D	22°		200	600	
Z803.200D	22°		225	600	
Z803.225C	22°		250	700	

Code	Size	A	B	C	D
Z803.50D	45°		60.4	210	
Z803.65D	45°		75.2	260	
Z803.80D	45°		89.0	260	
Z803.100D	45°		114	340	
Z803.150D	45°		160	500	
Z803.175D	45°		200	600	
Z803.200D	45°		225	600	
Z803.225C	45°		250	700	

Code	Size	A	B	C	D
Z803.50D	90°		60.4	210	
Z803.65D	90°		75.2	260	
Z803.80D	90°		89.0	260	
Z803.100D	90°		114	340	
Z803.150D	90°		160	500	
Z803.175D	90°		200	600	
Z803.200D	90°		225	600	
Z803.225C	90°		250	700	


Rings included.
AS/NZS 1477:1999



ELECTRICAL DUCTS FORMED BENDS – SCJ ORANGE



Code	Other Radius Available - C (mm)	A	B	C	D
2703.E.32.11°			36.3	100	
2703.E.32.22°			36.3	100	
2703.E.32.45°			36.3	100	
2703.E.32.90°			36.3	100	
2703.E.40.11°			43.0	150	
2703.E.40.22°			43.0	150	
2703.E.40.45°			43.0	150	
2703.E.40.90°			43.0	150	
2703.E.50.11°	400/600/900/1200/1500		55.9	150	
2703.E.50.22°	400/600/900/1200/1500		55.9	150	
2703.E.50.45°	400/600/900/1200/1500		55.9	150	
2703.E.50.90°	400/600/900/1200/1500		55.9	150	
2703.E.65.11°	400/600/900/1200/1500		68.7	200	
2703.E.65.22°	400/600/900/1200/1500		68.7	200	
2703.E.65.45°	400/600/900/1200/1500		68.7	200	
2703.E.65.90°	400/600/900/1200/1500		68.7	200	
2703.E.80.11°	600/900/1200/1500		82.6	250	
2703.E.80.22°	600/900/1200/1500		82.6	250	
2703.E.80.45°	600/900/1200/1500		82.6	250	
2703.E.80.90°	600/900/1200/1500		82.6	250	
2703.E.100.11°	600/900/1200/1500/2400		110	350	
2703.E.100.22°	600/900/1200/1500/2400		110	350	
2703.E.100.45°	600/900/1200/1500/2400		110	350	
2703.E.100.90°	600/900/1200/1500/2400		110	350	
2703.E.150.11°	900/1200/1500/2400		160	500	
2703.E.150.22°	900/1200/1500/2400		160	500	
2703.E.150.45°	900/1200/1500/2400		160	500	
2703.E.150.90°	900/1200/1500/2400		160	500	



Other radius available on request.
For Salmon colour, add 'S' at end of the code.